

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"6552997".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:10
L4	1	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$5 identify\$5) near4 (LAN (local adj area adj network)) and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:10
L5	3	"7114070".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:44
L6	2	"6046992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:45
L7	3	"6807542".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:46

L8	1	10/520736	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:46
L9	2	"6782474".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:47
L10	1	10/846614	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:47
L11	1	11/925628	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:47
L12	32	(home default) near4 (gateway router proxy) same (determin \$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:49
L13	8	(home default) near4 (gateway router proxy) same ((peer-to- peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 13:52

L14	135	(home default) near4 (gateway router proxy) and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:09
L15	12601	(home default) near4 (gateway router proxy) saem MACand ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:10
L16	11718	(home default) near4 (gateway router proxy) saem MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:10
L17	23	(home default) near4 (gateway router proxy) same MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:10
L18	42	(home default) near4 (gateway router proxy) same MAC same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:12
L19	1540	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:18

L20	1	L18 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:19
L21	72	(home default) near4 (gateway router proxy) same MAC and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:19
L22	387607	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address saem destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:28
L23	9817	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:28
L24	7774	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address near7 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:28
L26	0	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address near7 destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:30

L27	6757	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:30
L28	6757	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:31
L29	7587	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:31
L30	6766	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:31
L31	4495	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:31
L32	3508	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address same destination adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:32

L33	490	(home default) near4 (gateway router proxy) and l32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:32
L34	93	(home default) near4 (gateway router proxy) same l32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 14:32
L35	47	(home default) near4 (gateway router proxy) same (MAC link ethernet hardware)near4 address same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 15:35
L36	2	"6,914,879" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 16:06
L37	330	(home default) near4 (gateway router proxy)and (determin\$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 16:23
L38	62	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address and l37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 16:24

S1	405	request\$5 same MAC same address same (gateway router) and (internal home) near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/19 14:00
S2	451	request\$5 same MAC same address same (gateway router) and (internal home) near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:00
S3	1	10/530075	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:34
S4	964	associat\$5 same MAC adj address same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 14:50
S5	2665	default near3 (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 15:01
S6	77	default near3 (router gateway) near10 MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 15:02

S7	11	("5802316" "5987524" "6047325" "6115545" "6151635" "6167444" "6178455" "6195425" "6574664" "6665305" "6763023").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/19 15:47
S8	25175	370/254,255,351,352,389,390,392,401,432.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/20 09:00
S9	2	"6990534".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:04
S10	2	"20050015619"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:09
S11	148	default near3 (router gateway) same MAC adj address and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:12
S12	108	default near3 (router gateway) same MAC adj address and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:13

S13	50	default near3 (router gateway) same MAC adj address and home same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:33
S14	13	default near3 (router gateway) same MAC adj address and intranet same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:35
S15	782	intranet adj server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:37
S16	4	intranet adj server same (home adj network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:38
S17	0	intranet adj server same (default near3 (router gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:38
S18	8	intranet adj server and (default near3 (router gateway))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 09:39

S19	2	"20020161918"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 08:45
S20	2	"6046992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 09:37
S21	4	determin\$5 near5 identical near5 network same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:23
S22	53	default near3 (router gateway) same compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:25
S23	2	default near3 (router gateway) same access near5 home adj server and compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:41
S24	2	default near3 (router gateway) same access near5 home adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:52

S25	7	access near5 home adj server and compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:52
S26	3	"6807542".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 10:54
S27	0	compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER-2) adj address same default same (gateway proxy router (edge adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:01
S28	0	compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER-2) adj address AND default same (gateway proxy router (edge adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:01
S29	0	compar\$5 same source adj address same default same (gateway proxy router (edge adj router)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:02
S30	18	compar\$5 same source adj address same (gateway proxy router (edge adj router)) adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:02

S31	36	device-to-device same authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:09
S32	121	default near2 (router proxy gateway stub) same authenticat\$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 11:16
S33	0	default near2 (router proxy gateway stub) with ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:05
S34	2	default near2 (router proxy gateway stub) same ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:06
S35	134	default near2 (router proxy gateway stub) same (Local adj area adj network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:13
S36	6	default near2 (router proxy gateway stub) same (Local adj area adj network) same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:17

S37	451	default near2 (router proxy gateway stub) same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:20
S38	18	default near2 (router proxy gateway stub) same source adj address same MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 13:20
S39	24	default near2 (router proxy gateway stub) same (extranet internet) same intranet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 14:02
S40	128	default near3 (router gateway) same MAC adj address and (local home) adj (server network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 14:42
S41	105	router same analyz\$5 same port same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 15:08
S42	1	router same analyz\$5 same port same configuration same bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/18 15:08

S43	1	10/846614	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 07:54
S44	0	accept\$5 near5 packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 07:56
S45	0	accept\$5 near5 MAC near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 07:56
S46	75	MAC near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 07:56
S47	0	(refus\$5)near5 packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:03
S48	117	packet near5 default adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:03

S49	0	(accept refus\$5) near5 packet near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:07
S50	201	packet near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:07
S51	9	authentikat\$6 near5 default adj (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:46
S52	1	packet near5 default adj (router gateway) and device-to-device same authentikat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:55
S53	6	(home default) adj (router gateway) and (inter-device inter-host inter-network) same authentikat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 08:56
S54	30	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address and (inter-device inter-host inter-network device-device device-to-device) same authentikat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:10

S55	74	(MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$5 identify\$5) near4 (LAN (local adj area adj network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:23
S56	2	"6631137".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:26
S57	125	authentica\$6 same layer-2 layer2 near5 domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:35
S58	0	authentica\$6 same (layer-2 layer2) near5 domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:36
S59	1036	authentica\$6 same domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:36
S60	18	authentica\$6 same intra-domain same (router gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 09:36

S61	5	"2002080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:22
S62	0	"2002/080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:22
S63	3	"20020080800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:23
S64	4	"2002052972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:26
S65	2	"20020052972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:26
S66	2	"6405248".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 10:28

S67	2	"6047325".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 11:03
-----	---	---------------	---	----	----	---------------------

2/ 23/ 2009 4:45:28 PM
C:\ Documents and Settings\ apatel3\ My Documents\ EAST\ Workspaces\ 10520975.w sp